



Edifica Colombia Ltda  
 Cra 48 No. 98-57  
 Bogotá D.C. Colombia  
 Telephone: (057) 5086013  
 Fax: (057) 2362121

# TEST PIT NUMBER TP-33

CLIENT SPIA - SOCIEDAD PUERTO INDUSTRIAL AGUADULCE PROJECT NAME PUERTO AGUADULCE  
 PROJECT NUMBER 13016 PROJECT LOCATION AGUADULCE, BUENAVENTURA, COLOMBIA  
 DATE STARTED 23/5/13 COMPLETED 23/5/13 GROUND ELEVATION \_\_\_\_\_ TEST PIT SIZE \_\_\_\_\_  
 EXCAVATION CONTRACTOR Edifica Colombia Ltda GROUND WATER LEVELS:  
 EXCAVATION METHOD Backhoe AT TIME OF EXCAVATION ---  
 LOGGED BY Juan Carlos Vergara CHECKED BY Luis F Vesga AT END OF EXCAVATION ---  
 NOTES \_\_\_\_\_ AFTER EXCAVATION ---

DEPTH (m)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION		
2		CH		0.20 (CH) CLAY, brown, roots presence, high plasticity, damp		
		CH		0.50 (CH) CLAY, ocher, gray and orange veins, high plasticity, damp		
		CH		0.70 (CH) CLAY, brown, high plasticity, low moisture		
		CH		(CH) CLAY orange, high plasticity, low moisture		
		CH		1.20 (CH) CLAY, orange, ocher and gray veins, high plasticity, damp		
		CH		1.80 (ML) SILT, gray, orange veins, low plasticity, damp		
		4		ML		2.70 (ML) SILT, gray, orange veins, low plasticity, low moisture
				ML		3.20 (ML) Sandy SILT, dark gray, low plasticity, low moisture
ML	4.00					

Bottom of test pit at 4.00 meters.

GENERAL BH / TP / WELL GEOTECHNICAL INVESTIGATION FOR SPIA. TEST BORINGS LOGS.GPJ GINT STD CANADA LAB.GDT 18/6/13

