








Edifica Colombia Ltda  
 Cra 48 No. 98-57  
 Bogotá D.C. Colombia  
 Telephone: (057) 5086013  
 Fax: (057) 2362121

# TEST PIT NUMBER TP-34

CLIENT SPIA - SOCIEDAD PUERTO INDUSTRIAL AGUADULCE PROJECT NAME PUERTO AGUADULCE  
 PROJECT NUMBER 13016 PROJECT LOCATION AGUADULCE, BUENAVENTURA, COLOMBIA  
 DATE STARTED 23/5/13 COMPLETED 23/5/13 GROUND ELEVATION \_\_\_\_\_ TEST PIT SIZE \_\_\_\_\_  
 EXCAVATION CONTRACTOR Edifica Colombia Ltda GROUND WATER LEVELS:  
 EXCAVATION METHOD Backhoe AT TIME OF EXCAVATION ---  
 LOGGED BY Juan Carlos Vergara CHECKED BY Luis F Vesga AT END OF EXCAVATION ---  
 NOTES \_\_\_\_\_ AFTER EXCAVATION ---

DEPTH (m)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION
		CH		(CH) CLAY, ocher, gray and orange veins, high plasticity, damp
		CH		(CH) CLAY, yellow, gray veins, high plasticity, damp
2		CH		(CH) CLAY, gray, orange veins, high plasticity, low moisture
		CH		(CH) CLAY, dark gray, high plasticity, low moisture
4		ML		(ML) SILT, dark gray, low plasticity, damp

Bottom of test pit at 4.00 meters.

GENERAL BH / TP / WELL GEOTECHNICAL INVESTIGATION FOR SPIA. TEST BORINGS LOGS.GPJ GINT STD CANADA LAB.GDT 18/6/13

Preliminary